



Lighting Products Catalogue 2017



Led-lights.ie

Email: L.E.D.lighttechltd@gmail.com

Phone: 00 353 (0)45 529020



Light is like a diamond. It needs a perfect setting

LED Lightech Ltd is a fully owned Irish company based in Monasterevin Co Kildare. For over 35 years we have been installing beautiful lighting for many different projects from simple lamp replacements to DMX and DALI controlled lighting systems. Our skilled personnel work closely with our customers from concept stage to project completion. We work with designers, specifiers and contractors in creating effective and attractive lighting concepts.

The products we sell are of the highest standard and all are fully certified to meet regulations and standards such as TÜV, RoHS, CE, UL GS. To achieve the highest quality and reliability we use only recognised quality components such as CREE, Bridgelux, Osram, Philips and Epistar chips, and Tridonic, Philips, Osram, Samsung, Meanwell and other major quality leading brands of drivers. All our products have between 25000 and up to 100000 hours working life and are fully guaranteed for up to 5 years.

We cater for all requirements with our extensive range of LED products from our standard and designer range which you will find in our catalogue attached or visit our web site WWW. LED-LIGHTS.IE. We offer once off special fittings and lights to your requirements. By working closely with major lighting suppliers and designers in Europe everything is possible from unique designs, product quality, on time delivery and price competitive.

Grants up to 30% of outlay on retrofit and new builds by installing LED are available subject to a certain criteria, we offer a free service assisting you in obtaining these grants and helping you to permanently reduce your electricity costs, call us for more information.

Albert Crowley,
Managing Director
L.E.D.LightechLtd

PH 00 353 (0)45 529020
FAX 00 353 (0)45 529028
WWW.LED-LIGHTS.IE

Recessed Downlighter	3- 60
Multiple Suspended Lights	61 - 62
Surface Mounted Lights	63 - 70
Spot Lights	71 - 86
Track Lights	87 -103
Wall Lights & Bulbs	104 -114
Pendant Lighting	115 -125
Waterproof Junction Box Series	126 -127
New Products	128 -136







Bathroom Lighting



LT001BCL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





RoHS
 92X92mm



LT001AJ LED

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 815lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





RoHS
 115X110mm



LT001AKL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.5W 350mA
- LUMEN OUTPUT: 820lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





RoHS
 125X125mm



LT001ABL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2120lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






RoHS
 195X185mm









LT001GL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT001DML

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2130lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT001GBL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2080lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT001CML

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2130lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT002ABL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 4180lm
- CCT: 3000K, 4200K, 6400K
- RoHS ≥ 85





CE IP 20 375X185mm



LT001NL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 530lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





CE IP 20 95X100mm RoHS



LT001NLA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





CE IP 40 100X95mm RoHS



LT001LAL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 540lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






CE IP 20 95X94mm RoHS









LT002CML

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 4100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT002AKL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 2X9.5W 350mA
- LUMEN OUTPUT: 1510lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT002BCL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1050lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT002AJ LED





- MATERIAL: STEEL
- AVAILABLE FINISHES WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 2X10W 250mA
- LUMEN OUTPUT: 1620lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT002LAL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1030lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT002GBL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 4120lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT002GL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X50W 1200mA
- LUMEN OUTPUT: 8000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT002DML





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 4150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LT003AJ LED

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X10W 250mA
- LUMEN OUTPUT: 2450lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT002NLA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: PAINTING: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1060lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT003ABL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X25W 700mA
- LUMEN OUTPUT: 5980lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT002NL





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1040lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT003DML

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 3X25W 700mA
- LUMEN OUTPUT: 5945lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT003BCL

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 3X6.5W 350mA
- LUMEN OUTPUT: 1550lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT003CML

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 3X25W 700mA
- LUMEN OUTPUT: 5950lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT003AKL






- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE : LED
- VOLTAGE: 220-240V
- WATTAGE: 3X9.5W 350mA
- LUMEN OUTPUT: 2450lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LT003NL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X6.5W 350mA
- LUMEN OUTPUT: 1540lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT003GL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X50W 1200mA
- LUMEN OUTPUT: 12000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT003LAL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X6.5W 350mA
- LUMEN OUTPUT: 1560lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT003GBL






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X25W 700mA
- LUMEN OUTPUT: 6100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LT004GL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE SILVER BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X50W 1200mA
- LUMEN OUTPUT: 16000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT004AJ LED

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X10W 250mA
- LUMEN OUTPUT: 2820lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT004BCL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X6.5W 350mA
- LUMEN OUTPUT: 2150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT003NLA





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X6.5W 350mA
- LUMEN OUTPUT: 1540lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTG10L-1

- MATERIAL:ALUMINIUM
- AVAILABLE FINISH:BRUSHED ALUMINIUM
- LIGHT SOURCE :LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT3029L-2

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE :LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 3980lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT3029L

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE :LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2050lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT004LAL





- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES WHITE, SILVER, BLACK
- LIGHT SOURCE :LED
- VOLTAGE: 220-240V
- WATTAGE: 4X6.5W 350mA
- LUMEN OUTPUT: 2140lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTGL1

- MATERIAL:ALUMINIUM
- AVAILABLE FINISH:BRUSHED ALUMINIUM
- LIGHT SOURCE :LED
- VOLTAGE : 220-240V
- WATTAGE :3X1W 350mA
- LUMEN OUTPUT :225lm
- CCT : 3000K, 4200K, 6400K
- CRI : ≥ 85








LTG10L-3

- MATERIAL:ALUMINIUM
- AVAILABLE FINISH:BRUSHED ALUMINIUM
- LIGHT SOURCE :LED
- VOLTAGE : 220-240V
- WATTAGE :3X6.5W 350mA
- LUMEN OUTPUT :1550lm
- CCT : 3000K, 4200K, 6400K
- CRI : ≥ 85








LTG10L-4

- MATERIAL:ALUMINIUM
- AVAILABLE FINISH:BRUSHED ALUMINIUM
- LIGHT SOURCE LED
- VOLTAGE : 220-240V
- WATTAGE :4X6.5W 350mA
- LUMEN OUTPUT :2080lm
- CCT : 3000K, 4200K, 6400K
- CRI : ≥ 85



LTG10L-2






- MATERIAL:ALUMINIUM
- AVAILABLE FINISH:BRUSHED ALUMINIUM
- LIGHT SOURCE :LED
- VOLTAGE : 220-240V
- WATTAGE :2X6.5W 350mA
- LUMEN OUTPUT :1030lm
- CCT : 3000K, 4200K, 6400K
- CRI : ≥ 85










LTL60-3

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X9.5W 350mA
- LUMEN OUTPUT: 2410lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTGL3

- MATERIAL: ALUMINIUM
- AVAILABLE FINISH: BRUSHED ALUMINIUM
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 9X1W 350mA
- LUMEN OUTPUT: 670lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL60-2

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X9.5W 350mA
- LUMEN OUTPUT: 1650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTGL2






- MATERIAL: ALUMINIUM
- AVAILABLE FINISH: BRUSHED ALUMINIUM
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 6X1W 350mA
- LUMEN OUTPUT: 465lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL72A-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X6.5W 350mA
- LUMEN OUTPUT: 1550lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL60

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.5W 350mA
- LUMEN OUTPUT: 820lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL72A-2


- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1030lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL60-4





- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X9.5W 350mA
- LUMEN OUTPUT: 3150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL72B-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X10W 250mA
- LUMEN OUTPUT: 2480lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL72A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 525lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL72B-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X10W 250mA
- LUMEN OUTPUT: 1650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL72A-4






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X6.5W 350mA
- LUMEN OUTPUT: 2070lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL74-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X25W 700mA
- LUMEN OUTPUT: 6300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL72B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 840lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL74-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 4150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL72B-4






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X10W 250mA
- LUMEN OUTPUT: 3280lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL74A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL74A-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X50W 1200mA
- LUMEN OUTPUT: 8900lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL74A-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X50W 1200mA
- LUMEN OUTPUT: 12500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL74





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V, 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2140lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL84-4A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X25W 700mA
- LUMEN OUTPUT: 7600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LTL84-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 3850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL84-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X25W 700mA
- LUMEN OUTPUT: 5885lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL79






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2080lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL94-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X25W 700MA
- LUMEN OUTPUT: 5560LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL84

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700MA
- LUMEN OUTPUT: 1970lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL94-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700MA
- LUMEN OUTPUT: 4100LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL84-4B





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X25W 700MA
- LUMEN OUTPUT: 7580lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL94A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL94A-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X40W 1000mA
- LUMEN OUTPUT: 6500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL94A-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X40W 1000mA
- LUMEN OUTPUT: 9700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL94

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700MA
- LUMEN OUTPUT: 2180LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL97

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 540lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85

RoHS



95X95mm







LTL97-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X6.5W 350mA
- LUMEN OUTPUT: 1590lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85

RoHS



285X95mm







LTL97-4

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X6.5W 350mA
- LUMEN OUTPUT: 2180lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



195X195mm

RoHS







LTL97-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1108lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



190X95mm






RoHS









LTL99

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250MA
- LUMEN OUTPUT: 910LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL99-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X10W 250MA
- LUMEN OUTPUT: 2457LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL99-4

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X10W 250mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL99-2





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X10W 250MA
- LUMEN OUTPUT: 1890LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL100

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250MA
- LUMEN OUTPUT: 870LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL100-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X10W 250MA
- LUMEN OUTPUT: 2450LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL100-4

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X10W 250mA
- LUMEN OUTPUT: 3280lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL100-2






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X10W 250MA
- LUMEN OUTPUT: 1750LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL123-1

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL122-2

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X35W 900mA
- LUMEN OUTPUT: 5800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL122-3

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X35W 900mA
- LUMEN OUTPUT: 8400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL122-1

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL132-3

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X40W 700mA
- LUMEN OUTPUT: 10000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS







LTL123-3

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X50W 1200mA
- LUMEN OUTPUT: 12200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS








LTL132-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X40W 700mA
- LUMEN OUTPUT: 7000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS







LTL123-2

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X50W 1200mA
- LUMEN OUTPUT: 8100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








RoHS









LTSL1010-1A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 535lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL141-1

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3250lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL141-2

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X35W 900mA
- LUMEN OUTPUT: 6600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL132

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTSL1010-3A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X6.5W 350mA
- LUMEN OUTPUT: 1550lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS









LTSL1010-2A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1040lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








RoHS










LT1007LB

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X60W 1400mA
- LUMEN OUTPUT: 4900lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT1007L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2348lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT1007LA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT1007A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X70W 1800mA
- LUMEN OUTPUT: 6000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LT3019L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT2040L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W/1X10W 350mA
- LUMEN OUTPUT: 418lm/850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT3018YL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 550lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT2040A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT3028A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT3020LC

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT3026

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- LAMP HOLDER: GU10
- VOLTAGE: 220-240V
- WATTAGE: 1X15W



LT3020LA






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.7W 350mA
- LUMEN OUTPUT: 780lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LT5022LB

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT3028LA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W 350mA
- LUMEN OUTPUT: 474lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT5022LA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2105lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT3028L






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LT6018YL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT5026L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1128lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT5026LA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 740lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT5026A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT8016GL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2760lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT7004L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2030lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT8016EL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA/1X43W 700mA
- LUMEN OUTPUT: 2770lm/3800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT7004AL






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2020lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT8057LA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1621lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT8050L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2007lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT8057L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1380lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT8018YL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1180lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT8063L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2010lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





RoHS
 195mm



LT8062L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1658lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





RoHS
 180mm



LT8062LA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1130lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





RoHS
 180mm



LT8062A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






RoHS
 185mm










LTL02

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 18X1W 350mA
- LUMEN OUTPUT: 1180lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT9031A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X60W 1400mA
- LUMEN OUTPUT: 5200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT9031L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 1980lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT8066A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL12

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X11W/1X12W 700mA
4X3W 350mA
- LUMEN OUTPUT: 700lm/720lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL04

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 24X1W 350mA
- LUMEN OUTPUT: 1700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL11

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X11W/1X12W 700mA
- LUMEN OUTPUT: 700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL03






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 36X1W 900mA
- LUMEN OUTPUT: 2725lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL13C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1310lm
- CCT: 3000K, 4200K, 6400K








LTL12C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X11W/1X12W 700mA
4X3W 350mA
- LUMEN OUTPUT: 710lm/770lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL13

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X22W/1X24W 700mA
4X5W 500mA
- LUMEN OUTPUT: 1200lm/1305lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL12A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X11W/1X12W 700mA
4X3W 350mA
- LUMEN OUTPUT: 700lm/720lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL22B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1330lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL14B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 700mA
- LUMEN OUTPUT: 3729lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL21B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL14






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X22W/1X24W 700mA
- LUMEN OUTPUT: 2030lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL30B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X3W 500mA
- LUMEN OUTPUT: 820lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL27B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1310lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL29B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X3W 350mA
- LUMEN OUTPUT: 810lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL25B






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1315lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL62C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 500mA
- LUMEN OUTPUT: 1605lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL62A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 830lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL62B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 350mA
- LUMEN OUTPUT: 1140lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL62






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL69

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 953lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL63

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X3W 350mA
- LUMEN OUTPUT: 770lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL68

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X7W 350mA
- LUMEN OUTPUT: 350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL62D






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W/1X33W 700mA
- LUMEN OUTPUT: 2008lm/2640lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL88B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL82

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 820lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL88A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1050lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL77






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W/1X45W 1400mA
- LUMEN OUTPUT: 2594lm/3670lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL89B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 500MA
- LUMEN OUTPUT: 1380LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL89

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250MA
- LUMEN OUTPUT: 690LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL89A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400MA
- LUMEN OUTPUT: 1020LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL88B






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










XFL105

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W 300mA
- LUMEN OUTPUT: 415lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL101A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X24W 150mA
- LUMEN OUTPUT: 2100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL102

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1400MA
- LUMEN OUTPUT: 4050LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL101






- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 150mA
- LUMEN OUTPUT: 910lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL125

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL105B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X18W 300mA
- LUMEN OUTPUT: 1280lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL118

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL105A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X12W 300mA
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL127C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X70W 1800mA
- LUMEN OUTPUT: 6500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL127A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL127B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X60W 1400mA
- LUMEN OUTPUT: 5400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL127






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL140C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL140

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL140B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 800mA
- LUMEN OUTPUT: 2800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL131






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL147A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: AC LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W
- LUMEN OUTPUT: 1500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL142

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL146

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTUL03A





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V
- WATTAGE: 4X5W 350mA
- LUMEN OUTPUT: 1380lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTUL02A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V
- WATTAGE: 4X3W 350mA
- LUMEN OUTPUT: 880lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTUL01B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V
- WATTAGE: 4X3W 350mA
- LUMEN OUTPUT: 840lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTUL01C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V
- WATTAGE: 1X9.7W 350mA
- LUMEN OUTPUT: 748lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTSL10D



- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 350MA
- LUMEN OUTPUT: 900LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85











LTUL02C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2018lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTUL02B






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V
- WATTAGE: 4X3W 350mA
- LUMEN OUTPUT: 840lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT3028SA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT3001FL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W 350mA
- LUMEN OUTPUT: 420lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT3028S

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT150CL




- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT6060A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 45W 1400mA
- LUMEN OUTPUT: 3230lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT5026S

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1250lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT5026SA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT3030A






- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 15W 500mA
- LUMEN OUTPUT: 860lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LT8062S

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT8031BL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 810lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT8031L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1698lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT8031AL





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1263lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTFL24A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: GU10
- VOLTAGE: 220-240V
- WATTAGE: 1X5W
- LUMEN OUTPUT: 350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LT9031S

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LT9031SA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X60W 1400mA
- LUMEN OUTPUT: 5200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT8062SA





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL37A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 1300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL35

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1360lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL37


- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X3W 350mA
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL23A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X22W/1X24W 700mA
4X5W 350mA
- LUMEN OUTPUT: 1200lm/1320lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL106A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X12W 300mA
- LUMEN OUTPUT: 810lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL104A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL106

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W 300mA
- LUMEN OUTPUT: 420lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL104






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL133A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL124

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL133

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL106B






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X18W 300mA
- LUMEN OUTPUT: 1250lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL133C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X70W 1800mA
- LUMEN OUTPUT: 6000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL133B





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X60W 1400mA
- LUMEN OUTPUT: 5400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT004DSL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X25W 700mA
- LUMEN OUTPUT: 7750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT004CSL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X10W 250mA
- LUMEN OUTPUT: 3260lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT004DRL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X25W 700mA
- LUMEN OUTPUT: 7760lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT004CRL





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X10W 250mA
- LUMEN OUTPUT: 3250lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT004GRL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X25W 700mA
- LUMEN OUTPUT: 8200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT004HRL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X10W 250mA
- LUMEN OUTPUT: 3400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT6060E




- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 6X9W 400mA
- LUMEN OUTPUT: 4300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL78C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700MA
- LUMEN OUTPUT: 1635LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL78A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1027lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL78B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 700mA
- LUMEN OUTPUT: 665lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL78





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2040lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL103C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 350mA
- LUMEN OUTPUT: 1350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL103A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL103B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL103





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2210lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL112B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2050lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL112

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X13W 350mA
- LUMEN OUTPUT: 1100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL112A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL103D





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








XFL130C

- MATERIAL: POLYCARBONATE
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X11W
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL129

- MATERIAL: POLYCARBONATE
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL129A

- MATERIAL: POLYCARBONATE
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL112C





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2890lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL138

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL135

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL135A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1900lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL134





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL144

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL139

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL139A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL138A





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 900mA
- LUMEN OUTPUT: 2700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTWL155

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1205lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL142AL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1250lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL142L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL55 LED





- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X3W 350mA
- LUMEN OUTPUT: 820lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTWL155L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 700mA
- LUMEN OUTPUT: 2600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL155B

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 700mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL155C

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL155AL





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 1500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL44

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X1W 350mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL17

- MATERIAL: ALUMINIUM
- AVAILABLE FINISH: BRUSHED ALUMINIUM
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3.3W 350mA
- LUMEN OUTPUT: 225lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL01A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: PAINTING: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.5W 350mA
- LUMEN OUTPUT: 815lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT2042





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL45

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 6X1W 350mA
- LUMEN OUTPUT: 436lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL44C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 557lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL44A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 530lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL44B






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 535lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL49A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 530lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








XFL49

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X1W 350mA
- LUMEN OUTPUT: 215lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL48A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.5W 350mA
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL46A





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 525lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL51

- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X1W 350mA
- LUMEN OUTPUT: 70lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL50

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, SATIN, AB
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X1W 350mA
- LUMEN OUTPUT: 205lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL50A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 510lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL49B






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL54

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.5W 350mA
- LUMEN OUTPUT: 860lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL52B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 618lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL52A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 540lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL52






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X1W 350mA
- LUMEN OUTPUT: 235lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










XFL59

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.5W 350mA
- LUMEN OUTPUT: 805lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL58B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 582lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL58A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 510lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL57A






- MATERIAL: STEEL
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 515lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL70C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 200mA
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL70B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 551lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL70

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 525lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL59A






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.5 350mA
- LUMEN OUTPUT: 805lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL90

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V, 220-240V
- WATTAGE: 1X6.5W 350mA / 1X10W 250mA
- LUMEN OUTPUT: 550lm / 850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL72C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 200mA
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL76

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 530lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL71






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL96

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350MA
- LUMEN OUTPUT: 540LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL95

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350MA
- LUMEN OUTPUT: 540LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL95A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 350mA
- LUMEN OUTPUT: 1150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL91






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 110-130V, 220-240V
- WATTAGE: 1X6.5W 350mA/1X10W 250mA
- LUMEN OUTPUT: 550lm/850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL109A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W
- LUMEN OUTPUT: 1000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL98A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL108

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 870lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL98

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTL114

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE:FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE:LED
- VOLTAGE:220-240V
- WATTAGE:1X13W 300mA
- LUMEN OUTPUT:1300lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥85





RoHS
 IP 20 80mm



LTL113

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE:LED
- VOLTAGE:220-240V
- WATTAGE:1X8W 200mA
- LUMEN OUTPUT:750lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥85





RoHS
 IP 40 68mm



LTL113A

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE:FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE:LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 200mA
- LUMEN OUTPUT:750lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥85





RoHS
 IP 40 68mm



LTL111

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK.
- LIGHT SOURCE:LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT:550lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥85






RoHS
 IP 20 97mm










LTL119A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1450lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTL116A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 500mA
- LUMEN OUTPUT: 1960lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LTL119

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1450lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL116





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 500mA
- LUMEN OUTPUT: 1960lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTL136

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 200mA
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL120

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1450lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTL120A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1450lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL119B






- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 400mA
- LUMEN OUTPUT: 1350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTSL7E

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.6W 800mA
- LUMEN OUTPUT: 515lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTSL7C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.6W 800mA
- LUMEN OUTPUT: 515lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTSL7D

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 525lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL136A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 200mA
- LUMEN OUTPUT: 800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTSL11A





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, STAIN, AB
- LAMP HOLDER: G5.3/GU10
- VOLTAGE: 220-240V
- WATTAGE: 1X50W

RoHS



LTSL10A





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 515lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85



LTSL11





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- ELECTROPLATING: CHROME, STAIN, AB
- LAMP HOLDER: G5.3/GU10
- VOLTAGE: 220-240V
- WATTAGE: 1X50W

RoHS



LTSL7F

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.5W 350mA
- LUMEN OUTPUT: 525lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85









LTWL3AL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 3X1W 350mA
- LUMEN OUTPUT: 198lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



78X78mm





RoHS









LTST122L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.7W 350mA
- LUMEN OUTPUT: 750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST104L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X13W 350mA
- LUMEN OUTPUT: 1155lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LTST122BL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2010lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST89L





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2790lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST136CL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2780lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST128L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9.7W 350mA
- LUMEN OUTPUT: 760lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






FTST135L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3219LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST128BL





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2020lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST139D

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST139AL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W/1X33W 700mA
- LUMEN OUTPUT: 2016lm/2640lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST139C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST137L





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2015lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST142L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2095lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST140L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2075lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST141L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700MA
- LUMEN OUTPUT: 2235LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST139L





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W/1X43W 700mA
- LUMEN OUTPUT: 2730lm/3650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST148L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST144L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 4005lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST146L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X10W 250MA
- LUMEN OUTPUT: 1710LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST143L





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2088lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST152

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST150C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST151

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST149L





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 500mA
- LUMEN OUTPUT: 1850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST155

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST153A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST153B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST153





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST155D

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST155B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST155C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST155A





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1200mA
- LUMEN OUTPUT: 4400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST159

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST156

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 500mA
- LUMEN OUTPUT: 1860lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST157

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X60W 1400mA
- LUMEN OUTPUT: 4800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST155E





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST164A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X35W 900mA
- LUMEN OUTPUT: 6600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST163

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST164

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST162





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST168A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST167B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST168

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 3300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTST167





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X40W 1000mA
- LUMEN OUTPUT: 3700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST174C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 900mA
- LUMEN OUTPUT: 3650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







LTST171B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 900mA
- LUMEN OUTPUT: 3100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







LTST174B

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 800mA
- LUMEN OUTPUT: 3400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80



LTST136DM





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×25W 700mA
- LUMEN OUTPUT: 2400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80









LTST178A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 800mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







LTST176

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 800mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







LTST178

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×50W 1200mA
- LUMEN OUTPUT: 4400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80



LTST174D





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 900mA
- LUMEN OUTPUT: 3650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80









LTST179A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1 x 35W 800mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80







LTST179

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1 x 25W 600mA
- LUMEN OUTPUT: 2500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80







LTST179A-T

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1 x 35W 800mA
- LUMEN OUTPUT: 3500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80



LTST179-T





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1 x 25W 600mA
- LUMEN OUTPUT: 2750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80









LTST179S

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE:LED
- VOLTAGE : 220-240V
- WATTAGE : 1 x 15W 350mA
- LUMEN OUTPUT:1200lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥80







LTST179B

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE:LED
- VOLTAGE : 220-240V
- WATTAGE : 1 x 50W 1200mA
- LUMEN OUTPUT:4850lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥80







LTST179S-T

- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE:LED
- VOLTAGE : 220-240V
- WATTAGE : 1 x 15W 350mA
- LUMEN OUTPUT:1450lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥80



LTST179B-T





- MATERIAL:DIE-CAST ALUMINIUM
- AVAILABLE FINISHES:WHITE, SILVER, BLACK
- LIGHT SOURCE:LED
- VOLTAGE : 110-130V, 220-240V
- WATTAGE : 1 x 50W 1200mA
- LUMEN OUTPUT:5400lm
- CCT:3000K, 4200K, 6400K
- CRI: ≥80









LTST55L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2080lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST27L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTST52AL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X25W 700mA
- LUMEN OUTPUT: 4230lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTL73





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 2150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTST136CM

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 900mA
- LUMEN OUTPUT: 2850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







LTST181A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 800mA
- LUMEN OUTPUT: 3200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







LTST182A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×25W 600mA
- LUMEN OUTPUT: 2300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80



LTST180





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×60W 1400mA
- LUMEN OUTPUT: 5500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80









LTLD2

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 250mA
- LUMEN OUTPUT: 1100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTLD1 BP

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 200mA
- LUMEN OUTPUT: 750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTLD1

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 200mA
- LUMEN OUTPUT: 750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTLD R111

- MATERIAL: ALUMINIUM
- AVAILABLE FINISH: SILVER
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 350mA
- LUMEN OUTPUT: 1300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LTQP01


- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE
- BASE: E27
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X5W
- LUMEN OUTPUT: 330lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85

● RoHS



LTLZ01


- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE
- BASE: E14
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3W
- LUMEN OUTPUT: 220lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTLZ02





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE
- BASE: E27
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3W
- LUMEN OUTPUT: 220lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85

● RoHS



XFLD3





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X12W 300mA
- LUMEN OUTPUT: 1300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LTSL7C BP

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 800MA
- LUMEN OUTPUT: 515LM
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85




LTQP03

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE
- BASE: E27
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X5W
- LUMEN OUTPUT: 330lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85



LTQP04

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE
- BASE: E14
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3W
- LUMEN OUTPUT: 220lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85



LTQP02





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE
- BASE: E27
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X7W
- LUMEN OUTPUT: 350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85









LTWL38L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS







LTWL36L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 80lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS







LTWL37L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 90lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTSL1010-2A BP





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X6.5W 350mA
- LUMEN OUTPUT: 1040lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTWL162

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: SAND GREY
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3.3W 350mA
- LUMEN OUTPUT: 210lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL105L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 530lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL106L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 530lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL103L





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 530lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTWL172

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X5W 500mA
- LUMEN OUTPUT: 380lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS







LTWL164

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: SAND GREY
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 2X3.3W 350mA
- LUMEN OUTPUT: 480lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS







LTWL169

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9W 350mA
- LUMEN OUTPUT: 820lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL163





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: SAND GREY
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3.3W 350mA
- LUMEN OUTPUT: 230lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS









LTWL177

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 435lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS







LTWL175

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 320lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL176

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 430lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS



LTWL174





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X9W 350mA
- LUMEN OUTPUT: 908lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS









LTWL180C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL180A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL180B

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL180



- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL181B

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LTWL181

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LTWL181A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL180D





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X4.5W 500mA
- LUMEN OUTPUT: 300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LTWL181F

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL181D

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 220lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL181E

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL181C





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 160lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85










LTWL181G

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 150lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL182

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3.3W 350mA
- LUMEN OUTPUT: 300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS




LTWL181H

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X8W 280mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







Accessory's








LT12L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2340lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






LT12J

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: G24/E27
- VOLTAGE: 220-240V
- WATTAGE: 3X26W G24/3X15W E27







LT12JL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2780lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT12CL





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT22L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W
- LUMEN OUTPUT: 778lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT18

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X65W/1X70W HQI-E E27






LT22C

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X60W



LT16D





- MATERIAL: ALUMINIUM BASE WITH ACRYLIC REFLECTOR
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X65W E27









LT28G

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X60W E27






LT27

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: ALUMINIUM, WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X40W E27







LT28A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK, PURPLE, ORANGE
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT23CL




- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W
- LUMEN OUTPUT: 635lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT35L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK, GREEN
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT30AL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 1850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT30BL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT28GL





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 700mA
- LUMEN OUTPUT: 1850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85









LT37G

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27/G12
- VOLTAGE: 110-130V, 220-240V
- WATTAGE: 1X65W/1X70W HQI-E E27
1X70W G12







LT36L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X11.6W
- LUMEN OUTPUT: 950lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85







LT37

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: ALUMINIUM, WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 110-130V, 220-240V
- WATTAGE: 1X75W E27



LT36BL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1305lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥85









LT39

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: ALUMINIUM, WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X60W E27



RoHS







LT38A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X65W E27



RoHS







LT38L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X11.6W
- LUMEN OUTPUT: 950lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS







LT37GL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85






RoHS









LT40G

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 700mA
- LUMEN OUTPUT: 4100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT40D

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27/G12
- VOLTAGE: 220-240V
- WATTAGE: 1X45W E27
1X70W G12







LT40DL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 900mA
- LUMEN OUTPUT: 2500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LT40A

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: ALUMINIUM, WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X60W E27









LT46G

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27/G12
- VOLTAGE: 220-240V
- WATTAGE: 1X65W/1X70W HQI-E E27
1X70W G12



RoHS

IP
20







LT45EL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 700mA
- LUMEN OUTPUT: 4100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS

IP
20







LT45G

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 4X5W 500mA
- LUMEN OUTPUT: 1445lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85

RoHS



IP
20







LT44L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 700mA
- LUMEN OUTPUT: 1440lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS

IP
20









LT47

- MATERIAL: ALUMINIUM REFLECTOR WITH GLASS
- AVAILABLE FINISHES: ALUMINIUM, WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X60W E27



RoHS






LT46GAL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1400mA
- LUMEN OUTPUT: 3300lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS

IP20







LT46GBL

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 1400mA
- LUMEN OUTPUT: 4200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



RoHS

IP20







LT46GA

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LAMP HOLDER: E27/G12
- VOLTAGE: 220-240V
- WATTAGE: 1X65W/1X70W HQI-E E27
1X70W G12/1X150W HQI-E E40



RoHS





IP20









LTL81

- MATERIAL: DIE-CAS ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 700mA
- LUMEN OUTPUT: 1070lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT50L

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 700mA
- LUMEN OUTPUT: 4100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LT330

- MATERIAL: ALUMINIUM REFLECTOR
- AVAILABLE FINISHES: ALUMINIUM, WHITE, SILVER, BLACK
- LAMP HOLDER: E27
- VOLTAGE: 220-240V
- WATTAGE: 1X75W E27



LT48B




- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X50W 700mA
- LUMEN OUTPUT: 4100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85








LTWL173

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X100W 1800mA
- LUMEN OUTPUT: 7500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85







LTWL52L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X100W 1800mA
- LUMEN OUTPUT: 7520lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85



LTWL54L


- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X100W 1800mA
- LUMEN OUTPUT: 7800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85





LT686 * 4 Holders

WATERPROOF JUNCTION BOX SERIES



Technical data

Housing:	94V-2 grade
Solid:	2C*3C 0.5mm ² -2.50mm ²
Ampere/Voltage:	24A 450VAC
Working:	T100
Wire diameter:	5mm-9mm


IP68



LT686

WATERPROOF WIRE CONNECTER

Two-side entry



Technical data


Housing:	94V-2 grade
Solid:	2C 0.5mm ² -2.50mm ²
Ampere/Voltage:	10A 250VAC
Working:	T100
Wire diameter:	5mm-7mm

IP68





LT686 * 3 Holders
WATERPROOF JUNCTION BOX SERIES




Technical data

Housing:	94V-2 grade
Solid:	2C*3C 0.5mm ² -2.50mm ²
Ampere/Voltage:	24A 450VAC
Working:	T100
Wire diameter:	5mm - 9mm

IP68



LT686 * 2 Holders
WATERPROOF JUNCTION BOX SERIES



Technical data

Housing:	94V-2 grade
Solid:	2C*3C 0.5mm ² -2.50mm ²
Ampere/Voltage:	24A 450VAC
Working:	T100
Wire diameter:	5mm - 9mm






IP68









LT1007LD

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 2900lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS



LT175B

- MATERIAL: PLASTIC
- AVAILABLE FINISHES: BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W 800mA
- LUMEN OUTPUT: 2550lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80









LT175C

- MATERIAL: PLASTIC
- AVAILABLE FINISHES: SILVER
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X25W 600mA
- LUMEN OUTPUT: 2100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80
- RoHS



LT174/LT174-3






- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X35W/1X50W 700mA
- LUMEN OUTPUT: 2800lm/3600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80










LT3028LD

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 300mA
- LUMEN OUTPUT: 1000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS







LT2040LD

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W 200mA
- LUMEN OUTPUT: 650lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS








LT2040LH

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W 200mA
- LUMEN OUTPUT: 700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS



LT1007LH





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X30W 700mA
- LUMEN OUTPUT: 3000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS









LT8062LD

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X20W 500mA
- LUMEN OUTPUT: 1850lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS







LT5026LD

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 500mA
- LUMEN OUTPUT: 1400lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS








LT5026LH

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X15W 500mA
- LUMEN OUTPUT: 1350lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS



LT3028LH

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10W 300mA
- LUMEN OUTPUT: 1000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85
- RoHS










LT8062LH





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1x20W 500mA
- LUMEN OUTPUT: 1900lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 85

• RoHS







LTD40B/LTD60B/LTD80B/LTD100B/LTD120B

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1x25W 600mA/1x50W 1200mA
1x75W 2.2A/1x110W 2.6A/1x165W 3.6A
- LUMEN OUTPUT: 1600lm/4100lm
/6500lm/9500lm/12500lm/
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80







LTD40A/XFD60A/LTD80A/LTD100A/LTD120A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1x25W 600mA/1x50W 1200mA
1x75W 2.2A/1x110W 2.6A/1x165W 3.6A
- LUMEN OUTPUT: 1600lm/4100lm
/6500lm/9500lm/12500lm/
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80



LTD60AH/LTD90AH/LTD120AH/LTD180AH





- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1x40W 1000mA/1x60W 1400A
1x95W 2.2A/1x140W 3.2A
- LUMEN OUTPUT: 980lm/1300lm
/1600lm/1800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80









LTL174

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×25W 600mA
- LUMEN OUTPUT: 2800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80








LTFL30D

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×13W 300mA
- LUMEN OUTPUT: 600lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







LTL173

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×6W 700mA/1×10W 250mA
- LUMEN OUTPUT: 590lm/870lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80
- RoHS



LTFL30C





- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×13W 300mA
- LUMEN OUTPUT: 700lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80









LTWL81BL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3W 350mA
- LUMEN OUTPUT: 50lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80






LTFL30

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3.3W 350mA
- LUMEN OUTPUT: 250lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80







LTFL30A

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3.3W 350mA
- LUMEN OUTPUT: 240lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80



LT8028L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X10.5W
- LUMEN OUTPUT: 780lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80









LTWL98CL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.7W 700mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80



RoHS







LTWL98AL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6.7W 700mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80



RoHS



LTWL98BL

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X3.3W 350mA
- LUMEN OUTPUT: 108lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80







RoHS



IP65



205X100mm







LTWL83L

- MATERIAL: DIE-CAST ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1X6W 600mA
- LUMEN OUTPUT: 200lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥ 80



IP65









LTT60-1/LTT120-1/LTT150-1






- MATERIAL: PLASTIC
- FINISH: WHITE
- LAMPHOLDER: LED
- VOLTAGE: 110-130V, 220-240V
- WATTAGE: 1×12W/25W 300mA/32W 900mA
- LUMEN OUTPUT: 1200lm/2500lm/2900lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80








LTL175A

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×35W 450mA
- LUMEN OUTPUT: 2000lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80







XFS40B

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×25W 600mA
- LUMEN OUTPUT: 1600lm/
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80



LTL175

- MATERIAL: ALUMINIUM
- AVAILABLE FINISHES: WHITE, SILVER, BLACK
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1×25W 300mA
- LUMEN OUTPUT: 1750lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80









LTT60-2/LTT120-2/LTT150-2






- MATERIAL: PLASTIC
- FINISH: PAINTING: WHITE
- LAMPHOLDER: LED
- VOLTAGE: 110-130V, 220-240V
- WATTAGE: 2x12W/2x25W 600mA/2x32W 900mA
- LUMEN OUTPUT: 2400lm/4700lm/5500lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80



LTWL188B






- MATERIAL: PLASTIC
- FINISH: SILVER
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1x30W 700mA
- LUMEN OUTPUT: 1800lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80
- RoHS



XFWL188A



- MATERIAL: PLASTIC
- FINISH: SILVER
- LIGHT SOURCE: LED
- VOLTAGE: 220-240V
- WATTAGE: 1x20W 500mA
- LUMEN OUTPUT: 1100lm
- CCT: 3000K, 4200K, 6400K
- CRI: ≥80
- RoHS





Led-lights.ie

Email: L.E.D.lighttechltd@gmail.com

Phone: 00 353 (0)45 529020