

Retail Lighting Catalogue 2017




Led-lights.ie

Email: L.E.D.lightechltd@gmail.com

Phone: 00 353 (0)45 529020

RETAIL LIGHTING 2017





Light is like a diamond. It needs a perfect setting

LED Lightech Ltd is a fully owned Irish company based in Monasterevin Co Kildare. For over 35 years we have been installing beautiful lighting for many different projects from simple lamp replacements to DMX and DALI controlled lighting systems. Our skilled personnel work closely with our customers from concept stage to project completion. We work with designers, specifiers and contractors in creating effective and attractive lighting concepts.

The products we sell are of the highest standard and all are fully certified to meet regulations and standards such as TÜV, RoHs, CE, UL GS. To achieve the highest quality and reliability we use only recognised quality components such as CREE, Bridgelux, Osram, Philips and Epistar chips, and Tridonic, Philips, Osram, Samsung, Meanwell and other major quality leading brands of drivers. All our products have between 25000 and up to 100000 hours working life and are fully guaranteed for up to 5 years.

We cater for all requirements with our extensive range of LED products from our standard and designer range which you will find in our catalogue attached or visit our web site WWW. LED-LIGHTS.IE. We offer once off special fittings and lights to your requirements. By working closely with major lighting suppliers and designers in Europe everything is possible from unique designs, product quality, on time delivery and price competitive.

Grants up to 30% of outlay on retrofit and new builds by installing LED are available subject to a certain criteria, we offer a free service assisting you in obtaining these grants and helping you to permanently reduce your electricity costs, call us for more information.






Albert Crowley,
Managing Director
L.E.D.LightechLtd

PH 00 353 (0)45 529020
FAX 00 353 (0)45 529028
WWW.LED-LIGHTS.IE

TABLE OF CONTENTS



RETAIL LIGHTING 2017

	CEILING RECESSED	4
	SURFACE MOUNTED	30
	PENDENT LUMINAIRES	41
	SPOT LAMPS	56
	GRID SYSTEMS	73



Degree of water and dust proof



Voltage



Mounting on flammable surfaces



Safety class against electric shock



European conformity



DALI Protocol



Lighting- down, right, left



Lighting direction



CEILING RECESSED

CEILING DOWNLIGHTERS

LT no. 5587

Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



IP 20



230 V
50 Hz



FISHMONGERS



BAKERIES



BUTCHERS



PHARMACY



SUPERMARKETS



GREENGROCERS



HAIRDRESSER



JEWELLERY
SHOPS




CAR
SHOWROOMS



FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



LUCERNA SLM

LT no. 4805

Recessed LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




4500 lm



AVAILABLE BEAM ANGLES

12° / 24° / 36°



FISHMONGERS



BAKERIES



BUTCHERS



PHARMACY



SUPERMARKETS



GREENGROCCERS



HAIRDRESSER



JEWELLERY SHOPS



CAR SHOWROOMS



FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



LUCERNA TURN SLM

LT no. 4806

Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




4500 lm



AVAILABLE BEAM ANGLES

12° / 24° / 36°



FISHMONGERS



BAKERIES



BUTCHERS



PHARMACY



SUPERMARKETS



GREENGROCCERS



HAIRDRESSER



JEWELLERY SHOPS



CAR SHOWROOMS



FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



DL 140 CARDO LED

LT no. 4545

Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

 Customization on request


 Warranty

 3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DL 140 GAR LED

LT no. 4544

Recessed LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

 Customization on request


 Warranty

 3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

LED FIX 170

LT no. 4578

Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



LED 90

LT no. 5825

Recessed LED downlight. Body is made of die-cast aluminium. High quality, energy efficient white LED light with CRI 80 and more.




Customization on request



Warranty



1200 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



LED 90 CR

LT no. 5826



Recessed adjustable LED downlight. Body is made of die-cast aluminium.
High quality, energy efficient white LED light with CRI 80 and more.





Customization on request



Warranty



1200 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



DL 110 LED GS

LT no. 5029

Recessed LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty






3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DL 165 LED

index no. 5873

Recessed LED downlight. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser. High quality, energy efficient white LED light with CRI 80 and more.



Customization on request



Warranty





3000 lm



AVAILABLE BEAM ANGLE

65°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DL 190 LED

LT no. 5634

Recessed LED downlight. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser. High quality, energy efficient white LED light with CRI 80 and more.



Customization on request



Warranty





3000 lm



AVAILABLE BEAM ANGLE

65°



HAIRDRESSER



PHARMACY



SUPERMARKETS



JEWELLERY SHOPS



CAR SHOWROOMS



GENERAL LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



DL 220 LED

LT no. 5874

Recessed LED downlight. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser. High quality, energy efficient white LED light with CRI 80 and more.



Customization on request



Warranty






3000 lm




AVAILABLE BEAM ANGLE

65°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



DL 320 LED

LT no. 3387

Recessed LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. 3 hour emergency unit on request. This luminaire is also available with special accessory - additional ring which makes it semi-recessed. Opal diffuser can be mounted flat with the ring or recessed into the luminaire. High quality, energy efficient white LED light.






Customization on request



Warranty



2500 lm



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS



GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DL 480 LED

LT no. 4245

Recessed LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. 3 hour emergency unit on request. This luminaire is also available with special accessory - additional ring which makes it semi-recessed. Opal diffuser can be mounted flat with the ring or recessed into the luminaire. High quality, energy efficient white LED light.






Customization on request



Warranty



4000 lm



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS



GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DL 580 LED

LT no. 3776

Recessed LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. 3 hour emergency unit on request. This luminaire is also available with special accessory - additional ring which makes it semi-recessed. Opal diffuser can be mounted flat with the ring or recessed into the luminaire. High quality, energy efficient white LED light.





Customization on request



Warranty



5200 lm



CAR SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS

SHOPPING MALL
GENERAL LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



LED DISC 2 SQ



LT no. 3687

Recessed LED luminaire. Body is made of steel and aluminium. All RAL colours are available. Superior light quality and performance.

 Customization on request

 Warranty

 850 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



UNO DQ MINI

LT no. 5875

Recessed LED downlight. Body is made of die-cast aluminium. High quality, energy efficient white LED light with CRI 80 and more.




Customization on request



Warranty



600 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



UNO ECO LED MINI


LT no. 4467

Recessed LED downlight. Body is made of steel and aluminium and is available in all RAL colours.

Customization on request

5 years Warranty

MAX LIGHT OUTPUT 1000 lm



CAR SHOWROOMS

HAIRDRESSER

PHARMACY

SUPERMARKETS

SHOPPING MALL
GENERAL LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



UNO ECO LED

LT no. 4380



Recessed LED downlight. Body is made of steel and aluminium and is available in all RAL colours.





Customization on request



Warranty



2000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



DUO DQ

LT no. 5876

Recessed LED downlight. Body is made of diecast aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.





Customization on request



Warranty



3300 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

UNO SLM

LT no. 3047

Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DUO SLM

LT no. 3048

Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




6000 lm




AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



255x140



IP 20



230 V
50 Hz



FISHMONGERS



BAKERIES



BUTCHERS



PHARMACY



SUPERMARKETS



GREENGROCCERS



HAIRDRESSER



JEWELLERY
SHOPS



CAR
SHOWROOMS



FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



TRE SLM

LT no. 3049



Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.


 Customization on request

 Warranty

 9000 lm




AVAILABLE BEAM ANGLES
16° / 24° / 36° / 54°



375x140



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



QUATTRO SLM

LT no. 3072

Recessed adjustable LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit.

Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty





12000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



FISHMONGERS



BAKERIES



BUTCHERS



PHARMACY



SUPERMARKETS



GREENGROCCERS



HAIRDRESSER



JEWELLERY SHOPS



CAR SHOWROOMS



FASHION



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

UNO TRIMLESS SLM

LT no. 4823

Recessed adjustable rimless LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm




AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



120



DUO TRIMLESS SLM

LT no. 4824

Recessed adjustable rimless LED downlight. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




6000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



238x120



UNO FIX

LT no. 5877

Recessed adjustable LED downlight. Body is made of die-cast aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

 Customization on request


 Warranty

 3000 lm



AVAILABLE BEAM ANGLES

24° / 40° / 60°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

UNO FIX MINI

LT no. 5878

Recessed adjustable LED downlight. Body is made of die-cast aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

 Customization on request


 Warranty

 1250 lm



AVAILABLE BEAM ANGLES

15° / 25° / 38° / 60°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DUO FIX MINI

LT no. 5879

Recessed adjustable LED downlight. Body is made of die-cast aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




2500 lm




AVAILABLE BEAM ANGLES

15° / 25° / 38° / 60°



192x92



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

TRE FIX MINI

LT no. 5880

Recessed adjustable LED downlight. Body is made of die-cast aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Passive cooling, optional IP44 diffuser and 3 hour emergency unit. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3750 lm



AVAILABLE BEAM ANGLES

15° / 25° / 38° / 60°



272x92



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

MODULIGHT - X LED LINE



LT no. 3508

Recessed LED luminaire with opal diffuser designed for modular ceiling. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. Version for gypsum ceiling on request. High quality, energy efficient white LED light with CRI 80.




Customization on request



Warranty



8800 lm



575



IP
20



230 V
50 Hz



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS



GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.





GIZIA

SALE

SHOP NOW

WÓLCZANKA

ABSOLUT
69.99

70%

70%



GIZIA



SURFACE MOUNTED

DLN 90 LED

LT no. 4394

Surface mounted LED luminaire. Body is made of steel and aluminium and is available in all RAL colours.





Customization on request



Warranty



850 lm



CAR
SHOWROOMS

HAIRDRESSER

PHARMACY

SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DLN DECO

LT no. 4574

Surface mounted adjustable LED luminaire. Body is made of aluminium. Available in white, black or silver.





Customization on request



Warranty



970 lm



CAR
SHOWROOMS

HAIRDRESSER

PHARMACY

SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DLN 170 FORTIMO AC


LT no. 5207

Surface mounted LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Optional IP44 clear or mat glass. Luminaire is also available in suspended version - please add PND after index number. High quality, energy efficient white LED light with CRI 80.

 Customization on request

 Warranty

 3000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DLN 170 FORTIMO LED DLM


LT no. 3320

Surface mounted LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Optional IP44 clear or mat glass. Luminaire is also available in suspended version - please add PND after index number. High quality, energy efficient white LED light with CRI 80.

 Customization on request

 Warranty

 3000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

DLN 185 ECO LED

LT no. 4446

Surface mounted LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips LED module. Optional IP44 clear or mat glass. Luminaire is also available in suspended version - please add PND after index number. High quality, energy efficient white LED light with CRI 80.




Customization on request



Warranty



2000 lm



CAR
SHOWROOMS

HAIRDRESSER

PHARMACY

SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

PLAFO 195 LED

LT no. 4416

Surface mounted LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Luminaire is also available in suspended version - please add PND after index number.




Customization on request



Warranty



1500 lm



CAR
SHOWROOMS

HAIRDRESSER

PHARMACY

SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

PLAFO 300 LED

LT no. 3512

Surface mounted LED luminaire. Light source - Osram or Tridonic LED module. Body is made of steel and aluminium and it is available in all RAL colours. Luminaire is also available in suspended version - please add PND after index number.





Customization on request



Warranty



2500 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



PLAFO 430 LED

LT no. 3513

Surface mounted LED luminaire with opal diffuser. Light source - Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. Luminaire is also available in suspended version - please add PND after index number. High quality, energy efficient white LED light with CRI 80.





Customization on request



Warranty



5000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



PLAFO 650 LED

LT no. 3514

Surface mounted LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. Luminaire is also available in suspended version - please add PND after index number. High quality, energy efficient white LED light with CRI 80.




Customization on request



Warranty



10000 lm



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



PLAFO 900 LED

LT no. 3515

Surface mounted LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. Luminaire is also available in a suspended version - please add PND after index number. High quality, energy efficient white LED light with CRI 80.





Customization on request



Warranty



15000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



PLAFO 390 SQ LED

LT no. 3503

Surface mounted LED luminaire. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. High quality, energy efficient white LED light with CRI 80.






Customization on request



Warranty



4400 lm



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS



GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

SQ 100 LED

LT no. 4407

Surface mounted LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source - high quality, energy efficient LED module.





Customization on request



Warranty



850 lm



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS



GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

UNO SURF AR LED LV

LT no. 3540

Surface mounted square adjustable LED luminaires. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips or OSRAM retrofit LED lamp included. High quality, energy efficient white LED light.



Customization on request



Warranty




740 lm



AVAILABLE BEAM ANGLES

24° / 40°



CAR
SHOWROOMS



HAIRDRESSER




PHARMACY



SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



DUO SURF AR LED LV

LT no. 3539

Surface mounted square adjustable LED luminaires. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips or OSRAM retrofit LED lamp included. High quality, energy efficient white LED light.



Customization on request



Warranty




1480 lm



AVAILABLE BEAM ANGLES

24° / 40°



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY




SUPERMARKETS



SHOPPING MALL
GENERAL LIGHTING



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



PENDENT LUMINAIRES

SPUTNIK LED LINE



LT no. 3510

Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.





Customization on request



Warranty



8800 lm



CAR SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS



GENERAL LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



SPUTNIK 900 LED

LT no. 3786



Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.




Customization on request



Warranty



13200 lm



CAR SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS

SHOPPING MALL
GENERAL LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



PLAFO 500 PND MINI

LT no. 5174

Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.





Customization on request



Warranty



2600 lm



CAR SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS

SHOPPING MALL
GENERAL LIGHTING



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

PLAFO 800 PND MINI

LT no. 5173

Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.




Customization on request



Warranty



5200 lm



CAR SHOWROOMS



HAIRDRESSER




PHARMACY



SUPERMARKETS

SHOPPING MALL
GENERAL LIGHTING



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

SATURN 900 LED

LT no. 4230



Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.






Customization on request



Warranty



5200 lm



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS



GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



SATURN 1500 LED

LT no. 4838



Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.






Customization on request



Warranty



16500 lm



CAR
SHOWROOMS



HAIRDRESSER



PHARMACY



SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.




FOYER 1200 LED


LT no. 4601

Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.

 Customization on request

 Warranty

 13000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

FOYER 1500 LED


LT no. 3663

Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.

 Customization on request

 Warranty

 18200 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

MGA LED PND 315

LT no. 3486



Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module with integrated AC driver. Acrylic 315 mm reflect or and 1.5 meter suspension set in standard. IP44 cover on request.




Customization on request




Warranty



3000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



MGA LED PND 415

LT no. 3495

Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Acrylic 515 mm reflector and 1.5 meter suspension set in standard. IP44 cover on request.





Customization on request




Warranty



3000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



MGA LED PND 515

LT no. 3441

Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Acrylic 515 mm reflector and 1.5 meter suspension set in standard. IP44 cover on request.





Customization on request



Warranty



3000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



NEW YORK LED

LT no. 3457

Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. 1.5 meter suspension set in standard.





Customization on request



Warranty



3000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

KL LED PND

LT no. 4404

Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. 1.5 meter suspension set in standard.




Customization on request



Warranty



4500 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

LED 120 SPOT PND

LT no. 4976

Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source – Philips, Osram or Tridonic LED module.



Customization on request



Warranty




2000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

BELL

LT no. 4979

Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours.




Customization on request



Warranty



1800 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

BULLET LED

LT no. 3787

Pendent LED luminaire. Body is made of steel and aluminium and is available in all RAL colours. Light source - Philips or OSRAM retrofit LED lamp included. High quality, energy efficient white LED light.



Customization on request



Warranty




740 lm



AVAILABLE BEAM ANGLES

24° / 40°



CAR
SHOWROOMS

HAIRDRESSER

PHARMACY

SUPERMARKETS

SHOPPING
MALL
GENERAL
LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



Q-LA LED

LT no. 3771

Pendent LED luminaire. Body is made of steel and aluminium. All RAL colours are available. Superior light quality and performance.



Customization on request



Warranty




850 lm



AVAILABLE BEAM ANGLE

80°



CAR SHOWROOMS

HAIRDRESSER

PHARMACY

SUPERMARKETS

SHOPPING MALL
GENERAL LIGHTING

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



SQUIRCLE 600 LED


LT no. 5216

Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.

 Customization on request

 Warranty

 5000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

SQUIRCLE 900 LED


LT no. 5217

Pendent LED luminaire with opal diffuser. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI or Touch Dali version on request. Body is made of steel and aluminium and is available in all RAL colours. High quality, energy efficient white LED light with CRI 80.

 Customization on request

 Warranty

 10000 lm



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



SPOT LAMPS

TOYO SPOT

LT no. 4548



Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI version on request. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



COMBO LED

LT no. 4549

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI version on request. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

 Customization on request


 Warranty

 3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36° / 54°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

IMO LED SPOT

LT no. 4585



Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI version on request. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty





4500 lm



AVAILABLE BEAM ANGLES

12° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



IMO LED MINI

LT no. 4994

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm




AVAILABLE BEAM ANGLES

12° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



COIN SPOT AC

LT no. 4835


Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. High quality, energy efficient white LED light with CRI 80 and more.











-  Customization on request
-  Warranty
-  1800 lm



AVAILABLE BEAM ANGLES

24° / 40°



IP 20	230 V 50 Hz				
					
HAIRDRESSER	PHARMACY	SUPERMARKETS			
					
JEWELLERY SHOPS	CAR SHOWROOMS	FASHION			

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

STARLED SPOT

LT no. 5391


Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips Fortimo LED SLM ES.











-  Customization on request
-  Warranty
-  3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36°



IP 20	230 V 50 Hz				
					
HAIRDRESSER	PHARMACY	SUPERMARKETS			
					
JEWELLERY SHOPS	CAR SHOWROOMS	FASHION			

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

GLO SPOT

LT no. 4768


Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

-  Customization on request
-  Warranty
-  4000 lm



AVAILABLE BEAM ANGLES


12° / 24° / 36°




IP 20

230 V
50 Hz

F



CE



FISHMONGERS

BAKERIES

BUTCHERS

PHARMACY

SUPERMARKETS

GREENGROCERS

HAIRDRESSER

JEWELLERY SHOPS

CAR SHOWROOMS

FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

GLO SPOT MINI

LT no. 5881


Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

-  Customization on request
-  Warranty
-  4000 lm



AVAILABLE BEAM ANGLE


40°




IP 20

230 V
50 Hz

F



CE



FISHMONGERS

BAKERIES

BUTCHERS

PHARMACY

SUPERMARKETS

GREENGROCERS

HAIRDRESSER

JEWELLERY SHOPS

CAR SHOWROOMS

FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

MAX LED SPOT 90

LT no. 4612



Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

MAX LED SPOT 110

LT no. 4613



Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI version on request. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




4500 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

SLM 2011

LT no. 3043

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI version on request. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm




AVAILABLE BEAM ANGLES

16° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



METRO LED SPOT

LT no. 3728



Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI version on request. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty





3000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



GOT WING SPOT MINI LED

LT no. 4669

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Standard EVG ballast, DALI version on request. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




4500 lm



AVAILABLE BEAM ANGLES

12° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

COIN TUBE

LT no. 3409

Track mounted LED spot lamp. Body is made of steel and aluminium. All RAL colours are available. Light source - Osram PrevaLED COIN 111. High quality, energy efficient white LED light with CRI 80 and more.



Customization on request



Warranty




3600 lm



AVAILABLE BEAM ANGLES

24° / 40°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

COIN SPOT

LT no. 3402



Track mounted LED spot lamp. Body is made of steel and aluminium. All RAL colours are available. Light source - Osram PrevaLED COIN 111. High quality, energy efficient white LED light with CRI 80 and more.



Customization on request



Warranty




3600 lm




AVAILABLE BEAM ANGLES

24° / 40°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



SUN SPOT 1

LT no. 5708

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

 Customization on request


 Warranty

 3000 lm



AVAILABLE BEAM ANGLES

24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

SUN SPOT 2

LT no. 5748

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

 Customization on request


 Warranty

 3000 lm



AVAILABLE BEAM ANGLES

24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

ECLIPSE SPOT

LT no. 5882

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




3000 lm



AVAILABLE BEAM ANGLES

15° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

ASTRAL SPOT

LT no. 5883

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




4000 lm



AVAILABLE BEAM ANGLES

15° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

QUANT SPOT

LT no. 5884


Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

-  Customization on request
-  Warranty
-  6000 lm



AVAILABLE BEAM ANGLES

25°



IP 20

230 V
50 Hz

F

CE

FISHMONGERS

BAKERIES

BUTCHERS

PHARMACY

SUPERMARKETS

GREENGROCERS

HAIRDRESSER

JEWELLERY SHOPS

CAR SHOWROOMS

FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

MORA SPOT

LT no. 5885


Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.

-  Customization on request
-  Warranty
-  4000 lm



AVAILABLE BEAM ANGLES

15° / 36°



IP 20

230 V
50 Hz

F

CE

FISHMONGERS

BAKERIES

BUTCHERS

PHARMACY

SUPERMARKETS

GREENGROCERS

HAIRDRESSER

JEWELLERY SHOPS

CAR SHOWROOMS

FASHION

LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

POLO SPOT

LT no. 5886

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




4000 lm



AVAILABLE BEAM ANGLES

15° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

LED 120 SPOT

LT no. 4569

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Osram PrevaLED CORE AC. High quality, energy efficient white LED light with CRI 80 and more.



Customization on request



Warranty




2000 lm



AVAILABLE BEAM ANGLES

16° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

WAVE SPOT

LT no. 5887

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




4000 lm



AVAILABLE BEAM ANGLES

15° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.

WAVE SPOT MINI

LT no. 5888

Track mounted LED spot lamp. Body is made of steel and aluminium and it is available in all RAL colours. Light source - Philips, Osram or Tridonic LED module. Product is also available with special application LED modules: Crisp White, Food Warm White, Food Premium Red and many others - details on request. High quality, energy efficient white LED light with CRI up to 97 Ra.



Customization on request



Warranty




2000 lm



AVAILABLE BEAM ANGLES

15° / 24° / 36°



LED Lightech Ltd reserves the right to introduce any construction or technical changes in the products. Wattage of products may vary due to constant LED efficiency improvements.



CEILING GRID SYSTEMS

LED LIGHTTECH GRID SYSTEM 1



LED Lighttech Ltd Grid System 1 is modern, made to measure ceiling grid solution designed for all types of retail applications. It is made of aluminium profiles and available in all RAL colours. Dimensions of ceiling grid system, number of longitudinal and transverse beams are up to our customer's demands. Bottom part of our grid system can be equipped with 3 Phase tracks or aluminium covers.



LED LIGHTTECH GRID SYSTEM 2



LED Lighttech Ltd Grid System 2 is modern, made to measure ceiling grid solution designed for all types of retail applications. It is made of aluminium profiles and available in all RAL colours. Dimensions of ceiling grid system, number of longitudinal and transverse beams are up to our customer's demands. Bottom part of our grid system can be equipped with 3 Phase tracks or aluminium covers.





galeria
MOLO



galeria
MOLO

Filozofia Fryzur

ZAPYTAJ



Led-lights.ie

Email: L.E.D.lighttechltd@gmail.com

Phone: 00 353 (0)45 529020